



Our kids are our passion.™

P.R.D. CG™ SE Pediatric Manual Wheelchair



Yes, you can.®

2241 N Madera Rd Simi Valley, CA 93065 Phone: (800) 331-8551 Fax: (888) 582-1509
www.freedomdesigns.com email: customerservice@freedomdesigns.com

Date: _____ Buyer: _____
Company: _____
Marked For: _____
Email: _____

Quote Order PO# _____
Location: _____
Phone: _____
Fax: _____

Description	Part No.	Retail
-------------	----------	--------

Description	Part No.	Retail
-------------	----------	--------

Notice: A seating system must be purchased separately. No seating system is provided with the P.R.D. CG frame. No seat or back upholstery is available as an option.

Transport Optional Base

PRO-CG SE Pediatric Rigid Transport Optional (E1233) PRO-30302 **\$2545**

Note: Transportation Option selected separately below.

Transportation Package – SE PRO-99997 **\$ 300**

Note: Must be installed by Freedom Designs manufacturing.

Note: Not available with all vent and battery trays.

Note: Freedom's combination of customized seating and wheelchair frames are WC19 crash test approved in accordance with RESNA WC-4: 2012 Section 19, Annexes A, B, C, & E as well as ISO 7176-19 (2008) Annexes A, C & D.

Note: Most Freedom seating, hardware, and positioning accessories have been WC20 tested and approved for transit.

Seat Rail Options

Note: Not available with ALL Contracture, 2D & 3D Dynamic footrest systems.

LEAF - Lower Extremity Accommodation Frame

LEAF Seat Frame- Pair (K0108) PRO-30324 **\$ 714**

LEAF Seat Frame- Left (K0108) PRO-30324-L **\$ 357**

LEAF Seat Frame- Right (K0108) PRO-30324-R **\$ 357**

Note: LEAF (Lower Extremity Accommodation Frame) front frame angle adjusts 22° from midline for abduction, adduction, and windswept lower extremity positioning.

Note: Freedom customized seats can be ordered to fit pre-configured LEAF frame models.

Note: No seating system is provided with P.R.D. CG frames. A seating system must be purchased separately.

SRO - Seat Rail Only

SRO Seat Frame- Pair (K0108) PRO-30325 **\$ 306**

SRO Seat Frame- Left (K0108) PRO-30325-L **\$ 153**

SRO Seat Frame- Right (K0108) PRO-30325-R **\$ 153**

Note: SRO is manufactured without standard footrest hanger attachments.

Note: SRO is used when customer attaches leg/footrest(s) directly to the underside of the solid seat.

Tilt Activations

Dual Lever Hand Activated Tilt PRO-30272 **n/c**

Note: Must be selected for ALL vent and battery trays.

Note: Recommended when recline back is selected.

Foot Activated Tilt PRO-30273 **n/c**

Note: Foot pedal installed at center of rear frame.

Note: Not with ALL vent and battery trays.

Vent & Battery Trays

Note: Vent Ready Base required for all vent trays.

Note: All vent and battery trays not with Foot Activated Tilt.

Note: All vent and battery trays not with transport.

Note: All vent and battery trays best with standard 90° bend push handles and push button angle adjustable stroller handle extensions.

Vent Ready Base (K0108) PRO-30331 **\$ 459**

Note: Includes Push Button Adjustable Stroller Handle. For LP10 style vent and battery tray on frames 16" wide and greater.

Vent Tray - Fixed (E1029) 11-7000 **\$ 439**

Note: For LP10 style vent tray on 16" base width and greater.

Note: Vent tray is 14" wide and 11" deep.

Quick Release Vent Tray Hardware (E1028) 563 **\$ 272**

Battery Tray - Fixed Only (K0108) 11-8000 **\$ 429**

Note: Battery tray is not available on 14" base width.

Back Post Mounted Vent Bracket (E1029) 11-1100 **\$ 550**

Note: For LTV vents. Does not include dovetail bracket. Weight limit 15 lbs.

Frame Colors

Sugar Cookie **n/c** Pacific Blue **n/c**

Neon Yellow **n/c** Blue Blast **n/c**

Yellow **n/c** Electric Blue **n/c**

Bright Pink **n/c** Galaxy Blue **n/c**

Pink Parfait **n/c** Passion Purple **n/c**

Sugar Plum **n/c** Octane Orange **n/c**

Candy Violet **n/c** Red Sunset **n/c**

Candy Raspberry **n/c** Really Red **n/c**

Extreme Green **n/c** Fiery Red **n/c**

Sparkle Green **n/c** Twilight **n/c**

Mystic Teal **n/c** Stormy Gray **n/c**

Black **n/c**

P.R.D. CG-SE Rider Weight Capacity is 250 lbs.

P.R.D. CG-SE Pediatric

CE

Date: _____ PO# _____

Marked For: _____

Description **Part No.** **Retail**

Description **Part No.** **Retail**

Frame Dimensions


Specify Frame Width & Frame Depth Settings

Note: *P.R.D. CG* has 4" of depth adjustment for growth. Depth is measured from front of back post to front edge of the seat frame. For back post location add seating/hardware thickness (typically 2") to client's actual seat depth.

Example: seat depth of 12" + back/hardware thickness of 2" = back post location set at 14"

Note: The *P.R.D. CG* has 6" of center of gravity (CG) adjustment on all adult frames. The default CG setting is 1 position forward of either the client's actual seat depth or the manufacturer's seat depth setting.

Specify Client's Actual Seat Depth: _____"



<i>P.R.D. CG</i> Base Frame Width	Actual Client Seat Depth Specification or Specified Manufacturer Seat Depth Setting														
	10"	11"	12"	13"	14"	15"	16"	17"	18"	19"	20"	21"	22"	23"	24"
14" Base Frame Width			-2*	-2	-1	0	1	2	3	3	3				
16" Base Frame Width					-3	-2	-1	0	1	2	3	3	3		
18" Base Frame Width								-3	-2	-1	0	1	2	3	3

Note: Seat rail extensions required for manufacturing seat depth settings with CG setting in gray area.

***Note:** Maximum negative CG setting on 14" Base Frame Width is -2

14" Base Frame Width – Seat frame PRO-30220
adjusts 16" to 18" wide in 1" increments.

Specify Seat Width Setting

12"	PRO-12W	n/c
13"	PRO-13W	n/c
14"	PRO-14W	n/c

12" To 20" Seat Frame Length PRO-30511

Specify Seat Depth Setting

12"	PRO-30504	n/c
13"	PRO-30505	n/c
14"	PRO-30506	n/c
15"	PRO-30521	n/c
16"	PRO-30522	n/c
* 17" - Must select 2" extension	PRO-30523	n/c
* 18" - Must select 2" extension	PRO-30524	n/c
** 19" - Must select 4" extension	PRO-30527	n/c
** 20" - Must select 4" extension	(E2203) PRO-30528	\$ 500
2" Extension - Pair	(K0108) PRO-30525	\$ 26
4" Extension - Pair	(K0108) PRO-30531	\$ 26

* **Note:** Must choose 2" extension for 17" and 18" frame lengths.

** **Note:** Must choose 4" extension for 19" and 20" frame lengths.

Note: Not available with battery tray.

Specify Back Post Location (if other than specified above) _____"

P.R.D. CG – SE Rider Weight Capacity is 250 lbs.

Frame Dimensions (continued)

Specify Frame Width & Frame Depth Settings

16" Base Frame Width – Seat frame PRO-30240
adjusts 14" to 16" wide in 1" increments.

Specify Seat Width Setting

14"	PRO-14W	n/c
15"	PRO-15W	n/c
16"	PRO-16W	n/c

14" To 22" Seat Frame Length PRO-30512

Specify Seat Depth Setting

14"	PRO-30506	n/c
15"	PRO-30521	n/c
16"	PRO-30522	n/c
17"	PRO-30523	n/c
18"	PRO-30524	n/c
* 19" - Must select 2" extension	PRO-30527	n/c
* 20" - Must select 2" extension	(E2203) PRO-30528	\$ 500
** 21" - Must select 4" extension	(E2203) PRO-30529	\$ 500
** 22" - Must select 4" extension	(E2204) PRO-30535	\$ 900
2" Extension - Pair	(K0108) PRO-30525	\$ 26
4" Extension - Pair	(K0108) PRO-30531	\$ 26

* **Note:** Must choose 2" extension for 19" and 20" frame lengths.

** **Note:** Must choose 4" extension for 21" and 22" frame lengths.

Specify Back Post Location (if other than specified above) _____"

18" Base Frame Width – Seat frame PRO-30260
adjusts 16" to 18" wide in 1" increments.

Specify Seat Width Setting

16"	PRO-16W	n/c
17"	PRO-17W	n/c
18"	PRO-18W	n/c

16" To 24" Seat Frame Length PRO-30520

Specify Seat Depth Setting

16"	PRO-30522	n/c
17"	PRO-30523	n/c
18"	PRO-30524	n/c
19"	PRO-30527	n/c
20"	(E2203) PRO-30528	\$ 500
* 21" - Must select 2" extension	(E2203) PRO-30529	\$ 500
* 22" - Must select 2" extension	(E2204) PRO-30535	\$ 900
** 23" - Must select 4" extension	(E2204) PRO-30536	\$ 900
** 24" - Must select 4" extension	(E2204) PRO-30537	\$ 900
2" Extension - Pair	(K0108) PRO-30525	\$ 26
4" Extension - Pair	(K0108) PRO-30531	\$ 26

* **Note:** Must choose 2" extension for 21" and 22" frame lengths.

** **Note:** Must choose 4" extension for 23" and 24" frame lengths.





Specify Back Post Location (if other than specified above) _____"

Note: Extensions may limit tilt range and may affect stability when in tilted positions. Adjusting seat rail location will compensate for tilt range limitations and possible instability.

P.R.D. CG – SE Pediatric

CE

Date: _____ PO# _____ Marked For: _____

Description	Part No.	Retail	Description	Part No.	Retail
<h3>Back Post Options</h3> <p>Specify Push Handle, Back Post and Extensions</p> <p>Standard 90° Bend Push Handles and Back Post Tubes PRO-30518 n/c</p> <p>Ergo Bend Push Handles and Back Post Tubes PRO-30519 n/c</p> <p>Note: All push/stroller handle extensions not recommended with Ergo Bend.</p> <p>Seating Dynamics Rocker Back (K0108) PRO-30542 \$1734</p> <p>Note: Angle adjustable from 72° to 108° in 6° increments.</p> <p>Note: Supplied with a complete set of 4 elastomers in different durometers to allow spring adjustment in the field.</p> <p>Note: Locks into a non-dynamic position when necessary.</p> <p>Note: Does not allow the back post tubes to fold forward.</p> <p>Super Reclining Reduced Shear Back (K0108) PRO-30562 \$ 918</p> <p>Super Reclining Reduced Shear Back with Push Button, Angle-Adjustable Stroller Handle Extension (K0108) PRO-30564 \$1122</p> <p>Note: Pivot point is 2.5" above the seat rail.</p> <p>Note: Recline range is 65° from 97° to 162°.</p> <p>Note: Includes height adjustable back post tubes for 21" - 27" heights.</p> <p>Note: Available with standard 90° push handles only.</p> <p>Note: Only compatible with Push Button, Angle-Adjustable Folding Stroller Handle Extension.</p> <p>Note: Does not allow the back post tubes to fold forward.</p> <p>Note: Solid Back Insert installation requires 4-points of attachment hardware. Seat-to-Back hinges are not compatible with any Super Reclining Reduced Shear Back.</p> <p>Back Post Height</p> <p>Note: Back Posts are measured from top of seat rail to top of handle bend.</p> <p>Short Push Handle - 20" high PRO-30515 n/c</p> <p>Medium Push Handle - 23" high PRO-30514 n/c</p> <p>Tall Push Handle - 26" high PRO-30516 n/c</p> <p>Stroller Handle Extension Options</p> <p>Note: All STROLLER handle ext. add approximately 6.5" to push handle height.</p> <p>Note: All stroller/push handle extensions except Individual include a black neoprene wrap around pad.</p> <div style="display: flex; justify-content: space-around;">     </div> <p>-30561 -30571/76 -30581/86 -30517</p> <p>Push Handle Extension - Width Adjustable – Mounts direct to back post push handle PRO-30561 n/c</p> <p>Note: Not removable, grows with seat frame.</p> <p>Push Button, Angle-Adjustable, Stroller Handle Extension – Mounts direct to back post push handle (K0108) PRO-30571 \$ 112</p> <p>Note: Available for 12" wide -15" wide wheelchair frames only. For frames wider than 15" Wide must choose Heavy Duty below.</p> <p>Note: Not removable, grows with seat frame.</p> <p>Push Button, Angle-Adjustable, Stroller Handle Extension - Heavy Duty – Mounts direct to back post push handle (K0108) PRO-30576 \$ 179</p> <p>Note: Available for 12" wide - 22" wide wheelchair frames.</p> <p>Note: Not removable, grows with seat frame.</p> <p>Note: Same as above but with metal hinge mechanism.</p>			<h3>Stroller Handle Extension Options (continued)</h3> <p>Note: All STROLLER handle ext. add approximately 6.5" to push handle height.</p> <p>Note: All stroller/push handle extensions except Individual include a black neoprene wrap around pad.</p> <p>Push Button, Angle-Adjustable, Push Handle Extension – Mounts direct to straight back post tubes. (K0108) PRO-30581 \$ 112</p> <p>Note: Available for 12" Wide -15" Wide wheelchair frames only. For frames wider than 15" Wide must choose Heavy Duty below.</p> <p>Note: Not removable, grows with seat frame.</p> <p>Note: Not available with recline.</p> <p>Push Button, Angle-Adjustable, Push Handle Extension - Heavy Duty – Mounts direct to straight back post tubes. (K0108) PRO-30586 \$ 179</p> <p>Note: Available for 12" Wide - 22" Wide wheelchair frames.</p> <p>Note: Not removable, grows with seat frame.</p> <p>Note: Same as above but with metal hinge mechanism.</p> <p>Note: Not available with recline.</p> <p>Individual Stroller Handle Extensions Removable - Pair PRO-30517 \$ 102</p> <p>Note: Not compatible with ANY Super Reclining Reduced Shear Back.</p> <h3>Legrest, Footrest and Extension Options</h3> <h4>Legrests</h4> <p>Omit Legrest Hangers & Footrests PRO-33000</p> <p>75° Pop-Up Swing Away Hangers PRO-30280 n/c</p> <p>90° Pop-Up Swing Away Hangers PRO-30281 n/c</p> <p>Note: Not available with 8" adjustable extensions.</p> <p>90° Pop-Up Swing Away Elevating Legrests (ELRs) (E0990) PRO-30279 \$ 255</p> <p>Note: Not available with all length adjustable extensions.</p> <p>Note: Not available with 6.5" heavy duty extensions.</p> <p>75° Latch Style Swing Away Hangers PRO-30282 n/c</p> <p>90° Latch Style Swing Away Hangers PRO-30283 n/c</p> <p>Note: Not available with 8" adjustable extensions.</p> <h4>Footplates & Footboards</h4> <p>Omit Footrest Plates PRO-36404</p> <p>Composite Flip-Up PRO-17070 n/c</p> <p>Kids Aluminum Angle Adjustable, Flip-Up (K0040) PRO-36020 \$ 160</p> <p>Note: For frames 14" wide and narrower.</p> <p>Heel Loops (E0951) PRO-36022 \$ 41</p> <p>Calf Strap - Webbing (K0038) PRO-36024 \$ 41</p> <p>Adult Aluminum Angle Adj. Flip-up w/ Heel Loops (K0040/E0951) PRO-36021 \$ 180</p> <p>Note: For frames 15" wide and greater.</p> <p>Omit Heel Loops PRO-36023 n/c</p> <p>Aluminum Angle Adjustable Footboard Removable (K0040) PRO-36029 \$ 160</p>		
<p>P.R.D. CG-SE Rider Weight Capacity is 250 lbs.</p>			<p>P.R.D. CG-SE Pediatric €€</p>		

Continue To Next Page

Date: _____ PO# _____

Marked For: _____

Description	Part No.	Retail
-------------	----------	--------

Description	Part No.	Retail
-------------	----------	--------

Legrest, Footrest and Extension Options
(continued)

MAPS Footplate Mounting Hardware

MAPS (Multi Axis Positioning System) - Pair	(K0108) PRO-36040	\$ 306
MAPS (Multi Axis Positioning System) - Left	(K0108) PRO-36040-L	\$ 153
MAPS (Multi Axis Positioning System) - Right	(K0108) PRO-36040-R	\$ 153

Note: MAPS connects footrest hangers to aluminum footrest plates to adjust for fixed foot and ankle positioning. MAPS footrest plates rotate and adjust for plantar and dorsiflexion and inversion and eversion positioning.

Note: Must choose aluminum footplates.

Note: MAPS not available with composite footplates or aluminum footboard.

Legrest Extensions

4" Length Adjustable Extensions	PRO-30285	n/c
6" Length Adjustable Extensions	PRO-30286	n/c
8" Length Adjustable Extensions	PRO-30287	n/c
10" Length Adjustable Extensions	PRO-30288	n/c

Note: 8" & 10" Length Adjustable Extensions not available with all 90° hangers.

4.5" Heavy Duty ELR Extensions	PRO-36401	\$ 56
6.5" Heavy Duty ELR Extensions	PRO-36405	\$ 66

Note: May not be compatible with seat rail to floor settings lower than 18". Additional length may limit ability to move ELR to 90°.

4.5" Heavy Duty Extensions	PRO-36402	\$ 56
6.5" Heavy Duty Extensions	PRO-36403	\$ 66

Note: Heavy duty extensions do not telescope adjust. Footrests adjust vertically in length on heavy duty extension tubes.

High Mount Brackets	(K0037) PRO-36407	\$ 102
----------------------------	-------------------	---------------

Note: Includes flip-up mounting hardware for future growth adjustment.

Specify Knee to Heel Measurement _____" (see matrix below)

Footrest / Extension Lengths

Extension/Hanger	75° Pop	75° Lch	90° Pop	90 °Lch	ELR (90°)
Hanger Only	6"-8"	5.5"-8.5"	4"-8"	4"-8"	6"-10"
High Mount	N/A	N/A	1.5"-3"	N/A	N/A
4.5" H D Ext.	9"-12"	9.5"-12.5"	9"-12"	9"-12"	13"-15"
6.5" H D Ext.	9"-15"	9.5"-15.5"	9"-15"	9"-15"	N/A
4" Adjustable	10"-13"	9.5"-12.5"	11"-13"	10"-13"	N/A
6" Adjustable	12"-15"	10.5"-14.5"	13"-15"	12"-15"	N/A
8" Adjustable	14"-17"	12.5"-16.5"	N/A	N/A	N/A
10" Adjustable	16"-19"	14.5"-18.5"	N/A	N/A	N/A

MAPS Footrest / Extension Lengths

Extension/Hanger	75° Pop	75° Lch	90° Pop	90 °Lch	ELR (90°)
Hanger Only	5.5"-7.5"	5"-8"	5.5"-7.5"	4.5"-7.5"	4.5"- 8.5" & 11.5"
High Mount	N/A	N/A	N/A	N/A	N/A
4.5" H D Ext.	8.5"-11.5"	9"-12"	8.5"-11.5"	8.5"-11.5"	12.5"-15.5"
6.5" H D Ext.	8.5"-13.5"	9"-14"	8.5"-13.5"	8.5"-13.5"	N/A
4" Adjustable	8.5"-11.5"	9"-12"	9.5"-11.5"	8.5"-11.5"	N/A
6" Adjustable	10.5"-13.5"	10"-14"	11.5"-13.5"	8.5"-13.5"	N/A
8" Adjustable	12.5"-15.5"	12"-16"	N/A	N/A	N/A
10" Adjustable	14.5"-17.5"	14"-18"	N/A	N/A	N/A

Note: Length from top of footrest plate to top of seat rail.
Note: Without extensions bottom hanger hole not accessible for hardware.
Note: Heavy duty extensions do not telescope adjust. Footrests adjust vertically in length on heavy duty extension tubes.

Specialized Footrest Systems

Note: ALL legrest measurements are from the seat rail to footplate.
Note: Not available with LEAF or SRO seat rail options.

Super Contracture Footrest Hanger

Short Pair - Adjusts 11" to 15" - seat rail to footplate	(K0108) PRO-30291-2	\$3570
Long Pair - Adjusts 15" to 19" - seat rail to footplate	(K0108) PRO-30292-2	\$3570

Note: Super Contracture for frames 14" wide and greater.

Note: Super Contracture is both swing-away and removable.

Note: Super Contracture footrests have short or long length adjustable extension tubes with adjustable knee and ankle joints that have 48 positions adjustable in 7.5° increments for knee angle and plantar/dorsiflexion foot positioning.

Note: Angle adjustable footplate included.

Note: Frame and/or front caster choice may limit Super Contracture adjustment range and/or cause footplate/front caster interference.

Note: Super Contracture position may limit ankle joint/footplate adjustment range.

2D Dynamic Footrest Hanger

Short Pair - Adjusts 13.25" to 15.25" - seat rail to footplate	(K0108) PRO-30293-2	\$4080
Long Pair - Adjusts 15.25" to 17.25" - seat rail to footplate	(K0108) PRO-30294-2	\$4080

Note: 2D Dynamic for frames 14" wide and greater.

Note: 2D Dynamic is both swing-away and removable.

Note: 2D Dynamic has adjustable knee joints that have 48 positions that adjust in 7.5° increments.

Note: 2D Dynamic has short or long length adjustable extension tubes with 1.5" of dynamic telescoping travel.

Note: 2D Dynamic has ankle joints with 18° of dynamic flexion for plantar/dorsiflexion ankle/foot positioning.

Note: Angle adjustable footplate included.

Note: Frame and/or front caster choice may limit 2D Dynamic adjustment range and/or cause footplate/front caster interference.

3D Dynamic Footrest Hanger

Short Pair - Adjusts 13" to 15" - seat rail to footplate	(K0108) PRO-30295-2	\$4590
Long Pair - Adjusts 15" to 17" - seat rail to footplate	(K0108) PRO-30296-2	\$4590

Note: 3D Dynamic for frames 14" wide and greater.

Note: 3D Dynamic is both swing-away and removable.

Note: 3D Dynamic has adjustable dynamic knee joints that can be set at 40°, 50°, 70°, or 90° with 36° of dynamic elevation travel.

Note: 3D Dynamic has short or long length adjustable extension tubes with 1.5" of dynamic telescoping travel.

Note: 3D Dynamic has ankle joints with 18° of dynamic flexion for plantar/dorsiflexion ankle/foot positioning.

Note: Angle adjustable footplate included.

Note: Frame and/or front caster choice may limit 3D Dynamic adjustment range and/or cause footplate/front caster interference.

Continue To Next Page

Date: _____ PO# _____ Marked For: _____

Description	Part No.	Retail	Description	Part No.	Retail																																																																																																																																																							
<p>Armrest and Armrest Pad Options</p> <p>Note: Selection of any 20", 22", or 24" wheel requires additional axle plate spacing as needed for armrest clearance.</p> <p>Omit Armrests PRO-38209</p> <p>Back Post Mounted Armrests</p> <p>Note: Flip-Back armrests length is measured from the front of the backpost tube to the end of the armrest with foam wrap pad installed.</p> <p>10.5" Long Flip-Back PRO-38204 n/c</p> <p>Note: Full length pad on 13.5" or longer armrests only.</p> <p>13.5" Long Flip-Back PRO-38202 n/c</p> <p>10.5" Long Flip-Back Locking (E0973) PRO-38201 \$ 245</p> <p>Note: Full length pad on 13.5" or longer armrests only.</p> <p>13.5" Long Flip-Back Locking (E0973) PRO-38200 \$ 245</p> <p>10.5" to 13.5" Long Flip-Back, Telescoping (E0973) PRO-38208 \$ 240</p> <p>Note: Full length pad on 13.5" or longer armrests only.</p> <p>10.5" to 13.5" Long Flip-Back Locking, Telescoping (E0973) PRO-38210 \$ 265</p> <p>Note: Full length pad on 13.5" or longer armrests only.</p> <p>17" to 20" Long Flip-Back Locking, Telescoping (E0973) PRO-38215 \$ 265</p> <p>Foam Wraps - Standard PRO-38216 n/c</p> <p>Desk Length Pads PRO-38213 n/c</p> <p>Full Length Pads PRO-38214 n/c</p> <p>Note: Full length pad on 13.5" or longer armrests only.</p> <p>Frame Mounted Armrests</p> <p>Single Post Fixed Height, Removable - Short (E0973) PRO-38222 \$ 225</p> <p>Single Post Fixed Height, Removable - Tall (E0973) PRO-38224 \$ 225</p> <p>Note: Single Post Fixed Height arms include a removable side guard.</p> <p>Note: Adjustable in height with tools only. See matrix for height ranges.</p> <p>Single Post Height Adjustable, Removable - Short (E0973) PRO-38217 \$ 265</p> <p>Single Post Height Adjustable, Removable - Tall (E0973) PRO-38203 \$ 265</p> <p>Dual Post Fixed Height Removable PRO-38205 n/c</p> <p>Dual Post Flip-Back Height Adjustable, Removable (E0973) PRO-38206 \$ 275</p> <p>Desk Length Pads PRO-38213 n/c</p> <p>Full Length Pads PRO-38214 n/c</p> <p>Specify Seat Rail to Top of Armrest Measurement _____"</p>			<p>Wheel/Caster Seat to Floor Heights</p> <table border="1"> <thead> <tr> <th rowspan="2">Rear Wheel</th> <th colspan="4">Caster Wheel</th> <th rowspan="2"></th> </tr> <tr> <th>4"</th> <th>5"</th> <th>6"</th> <th>7"</th> </tr> </thead> <tbody> <tr> <td rowspan="5">12"</td> <td>15"</td> <td>15"</td> <td>18.5"</td> <td>18.5"</td> <td></td> </tr> <tr> <td>15.5"</td> <td>15.5"</td> <td>19"</td> <td>19"</td> <td></td> </tr> <tr> <td>16"</td> <td>16"</td> <td></td> <td></td> <td></td> </tr> <tr> <td>18.5"</td> <td>18.5"</td> <td></td> <td></td> <td></td> </tr> <tr> <td>19"</td> <td>19"</td> <td></td> <td></td> <td></td> </tr> <tr> <td rowspan="5">16"</td> <td>15"</td> <td>15"</td> <td>16"</td> <td>17"</td> <td></td> </tr> <tr> <td>15.5"</td> <td>15.5"</td> <td>16.5"</td> <td>17.5"</td> <td></td> </tr> <tr> <td>16"</td> <td>16"</td> <td>17"</td> <td>20"</td> <td></td> </tr> <tr> <td>16.5"</td> <td>16.5"</td> <td>17.5"</td> <td>20.5"</td> <td></td> </tr> <tr> <td>17"</td> <td>17"</td> <td>20"</td> <td></td> <td></td> </tr> <tr> <td rowspan="5">18"</td> <td>15.5"</td> <td>15.5"</td> <td>16"</td> <td>17"</td> <td></td> </tr> <tr> <td>16"</td> <td>16"</td> <td>16.5"</td> <td>17.5"</td> <td></td> </tr> <tr> <td>16.5"</td> <td>16.5"</td> <td>17"</td> <td>18"</td> <td></td> </tr> <tr> <td>17"</td> <td>17"</td> <td>17.5"</td> <td>18.5"</td> <td></td> </tr> <tr> <td>17.5"</td> <td>17.5"</td> <td>18"</td> <td>18.5"</td> <td></td> </tr> <tr> <td rowspan="5">20"</td> <td>17"</td> <td>17"</td> <td>17"</td> <td>17"</td> <td></td> </tr> <tr> <td>17.5"</td> <td>17.5"</td> <td>17.5"</td> <td>17.5"</td> <td></td> </tr> <tr> <td>18"</td> <td>18"</td> <td>18"</td> <td>18"</td> <td></td> </tr> <tr> <td>18.5"</td> <td>18.5"</td> <td>18.5"</td> <td>18.5"</td> <td></td> </tr> <tr> <td>19"</td> <td>19"</td> <td>19"</td> <td>19"</td> <td></td> </tr> <tr> <td rowspan="5">22"</td> <td>18"</td> <td>18"</td> <td>18"</td> <td>18"</td> <td></td> </tr> <tr> <td>18.5"</td> <td>18.5"</td> <td>18.5"</td> <td>18.5"</td> <td></td> </tr> <tr> <td>19"</td> <td>19"</td> <td>19"</td> <td>19"</td> <td></td> </tr> <tr> <td></td> <td>19.5"</td> <td>19.5"</td> <td>20"</td> <td></td> </tr> <tr> <td></td> <td></td> <td>20"</td> <td></td> <td></td> </tr> <tr> <td rowspan="2">24"</td> <td>18.5"</td> <td>19"</td> <td>19"</td> <td>19"</td> <td></td> </tr> <tr> <td>19"</td> <td>19.5"</td> <td>19.5"</td> <td>20"</td> <td></td> </tr> </tbody> </table> <p>Note: Use chart to determine seat to floor height. Seat to floor height determined by frame type, rear wheels, and front caster size. Note: Caster sizes vary slightly in height by type. Note: Seat to floor heights are approximate, and are impacted by wheel type, caster size and braking choice. Heights can vary +/- 1/4". Note: Seat pan choice increases seat rail to floor height 3/8" to 3/4".</p>			Rear Wheel	Caster Wheel					4"	5"	6"	7"	12"	15"	15"	18.5"	18.5"		15.5"	15.5"	19"	19"		16"	16"				18.5"	18.5"				19"	19"				16"	15"	15"	16"	17"		15.5"	15.5"	16.5"	17.5"		16"	16"	17"	20"		16.5"	16.5"	17.5"	20.5"		17"	17"	20"			18"	15.5"	15.5"	16"	17"		16"	16"	16.5"	17.5"		16.5"	16.5"	17"	18"		17"	17"	17.5"	18.5"		17.5"	17.5"	18"	18.5"		20"	17"	17"	17"	17"		17.5"	17.5"	17.5"	17.5"		18"	18"	18"	18"		18.5"	18.5"	18.5"	18.5"		19"	19"	19"	19"		22"	18"	18"	18"	18"		18.5"	18.5"	18.5"	18.5"		19"	19"	19"	19"			19.5"	19.5"	20"				20"			24"	18.5"	19"	19"	19"		19"	19.5"	19.5"	20"	
Rear Wheel	Caster Wheel																																																																																																																																																											
	4"	5"	6"	7"																																																																																																																																																								
12"	15"	15"	18.5"	18.5"																																																																																																																																																								
	15.5"	15.5"	19"	19"																																																																																																																																																								
	16"	16"																																																																																																																																																										
	18.5"	18.5"																																																																																																																																																										
	19"	19"																																																																																																																																																										
16"	15"	15"	16"	17"																																																																																																																																																								
	15.5"	15.5"	16.5"	17.5"																																																																																																																																																								
	16"	16"	17"	20"																																																																																																																																																								
	16.5"	16.5"	17.5"	20.5"																																																																																																																																																								
	17"	17"	20"																																																																																																																																																									
18"	15.5"	15.5"	16"	17"																																																																																																																																																								
	16"	16"	16.5"	17.5"																																																																																																																																																								
	16.5"	16.5"	17"	18"																																																																																																																																																								
	17"	17"	17.5"	18.5"																																																																																																																																																								
	17.5"	17.5"	18"	18.5"																																																																																																																																																								
20"	17"	17"	17"	17"																																																																																																																																																								
	17.5"	17.5"	17.5"	17.5"																																																																																																																																																								
	18"	18"	18"	18"																																																																																																																																																								
	18.5"	18.5"	18.5"	18.5"																																																																																																																																																								
	19"	19"	19"	19"																																																																																																																																																								
22"	18"	18"	18"	18"																																																																																																																																																								
	18.5"	18.5"	18.5"	18.5"																																																																																																																																																								
	19"	19"	19"	19"																																																																																																																																																								
		19.5"	19.5"	20"																																																																																																																																																								
			20"																																																																																																																																																									
24"	18.5"	19"	19"	19"																																																																																																																																																								
	19"	19.5"	19.5"	20"																																																																																																																																																								
<p>Freedom Designs Armrest Heights</p> <table border="1"> <thead> <tr> <th>Armrest and Pad</th> <th>Foam</th> <th>Desk</th> <th>Full</th> </tr> </thead> <tbody> <tr> <td>Flip Back</td> <td>6.5" - 11.5"</td> <td>7.5" - 12.5"</td> <td>7.5" - 12.5"</td> </tr> <tr> <td>Flip Back Locking</td> <td>6.5" - 11.5"</td> <td>7.5" - 12.5"</td> <td>7.5" - 12.5"</td> </tr> <tr> <td>Telescoping Flip Back</td> <td>6.5" - 11.5"</td> <td>7.5" - 12.5"</td> <td>7.5" - 12.5"</td> </tr> <tr> <td>Flip Back Locking Telescoping</td> <td>6.5" - 11.5"</td> <td>7.5" - 12.5"</td> <td>7.5" - 12.5"</td> </tr> <tr> <td>Single Post Height Adj. Short</td> <td>N/A</td> <td>8" - 14"</td> <td>8" - 14"</td> </tr> <tr> <td>Single Post Height Adj. Tall</td> <td>N/A</td> <td>10" - 16"</td> <td>10" - 16"</td> </tr> <tr> <td>Dual Post Fixed Height</td> <td>N/A</td> <td>9.5"</td> <td>9.5"</td> </tr> <tr> <td>Dual Post Flip Back Height Adj.</td> <td>N/A</td> <td>9" - 13"</td> <td>9" - 13"</td> </tr> </tbody> </table> <p>Note: All heights from top of seat frame to top of armrest pad.</p>			Armrest and Pad	Foam	Desk	Full	Flip Back	6.5" - 11.5"	7.5" - 12.5"	7.5" - 12.5"	Flip Back Locking	6.5" - 11.5"	7.5" - 12.5"	7.5" - 12.5"	Telescoping Flip Back	6.5" - 11.5"	7.5" - 12.5"	7.5" - 12.5"	Flip Back Locking Telescoping	6.5" - 11.5"	7.5" - 12.5"	7.5" - 12.5"	Single Post Height Adj. Short	N/A	8" - 14"	8" - 14"	Single Post Height Adj. Tall	N/A	10" - 16"	10" - 16"	Dual Post Fixed Height	N/A	9.5"	9.5"	Dual Post Flip Back Height Adj.	N/A	9" - 13"	9" - 13"	<p>Front Wheels - Casters Options</p> <p>Omit Caster Wheels PRO-34333</p> <p>4" Polyurethane PRO-40000 \$ 66</p> <p>4" Polyurethane Light-Up PRO-41000 \$ 101</p> <p>4" x 1.4" Poly, Aluminum Mag PRO-43000 \$ 92</p> <p>5" x 1" Poly, Plastic Mag PRO-34555 n/c</p> <p>5" Polyurethane Light-Up PRO-35050 \$ 101</p> <p>5" x 1.5" Poly, Plastic Mag PRO-34222 \$ 87</p> <p>5" x 1.4" Poly, Aluminum Mag PRO-42000 \$ 92</p>																																																																																																																					
Armrest and Pad	Foam	Desk	Full																																																																																																																																																									
Flip Back	6.5" - 11.5"	7.5" - 12.5"	7.5" - 12.5"																																																																																																																																																									
Flip Back Locking	6.5" - 11.5"	7.5" - 12.5"	7.5" - 12.5"																																																																																																																																																									
Telescoping Flip Back	6.5" - 11.5"	7.5" - 12.5"	7.5" - 12.5"																																																																																																																																																									
Flip Back Locking Telescoping	6.5" - 11.5"	7.5" - 12.5"	7.5" - 12.5"																																																																																																																																																									
Single Post Height Adj. Short	N/A	8" - 14"	8" - 14"																																																																																																																																																									
Single Post Height Adj. Tall	N/A	10" - 16"	10" - 16"																																																																																																																																																									
Dual Post Fixed Height	N/A	9.5"	9.5"																																																																																																																																																									
Dual Post Flip Back Height Adj.	N/A	9" - 13"	9" - 13"																																																																																																																																																									

Continue To Next Page

P.R.D. CG-SE Rider Weight Capacity is 250 lbs.

P.R.D. CG-SE Pediatric

CE

Date: _____ PO# _____

Marked For: _____

Description	Part No.	Retail
Front Wheels - Casters Options (continued)		
6" x 1" Poly, Plastic Mag	PRO-34666	n/c
6" x 1.5" Poly, Plastic Mag	PRO-34999	\$ 87
6" x 1.4" Poly, Aluminum Mag	PRO-44000	\$ 92
6" x 2" Poly with Tread	PRO-34444	\$ 92
6" x 1" Pneumatic Plastic Mag	(E2214/ E2215) PRO-34667	\$ 77
7" x 1" Poly, Plastic Mag	PRO-34777	\$ 77
7" x 2" Polyurethane	PRO-34200	\$ 118
 Rear Wheels - Tires - Accessories		
Note: All wheel selections include Freedom Designs' Patented Double Locking Safety Axles.		
Omit Rear Wheels and Axles	PRO-31524	
Mag Wheels		
Note: Selection of any 20", 22", or 24" wheel requires additional axle plate spacing as needed for armrest clearance.		
12" Low Profile Poly Mag	(E2218) PRO-31526	\$ 36
Note: Not available with ANY foot/hand activated brake/wheel lock system.		
Note: Not available with airless inserts.		
12" Semi Pneumatic Plastic Mag	(K0069) PRO-31523	\$ 168
Note: Not available with airless inserts.		
12" Pneumatic Plastic Mag	PRO-31525	n/c
12" Airless Inserts	(E2213) PRO-31019	\$ 77
16" Pneumatic Plastic Mag	(K0070) PRO-31530	\$ 41
16" Airless Inserts	(E2213) PRO-31020	\$ 77
16" Aluminum Handrims	(E2205) PRO-31014	\$ 169
Note: 16" mag wheels not available with plastic coated handrims.		
18" Pneumatic Plastic Mag	(K0070) PRO-31533	\$ 41
18" Airless Inserts	(E2213) PRO-31021	\$ 77
18" Aluminum Handrims	(E2205) PRO-31015	\$ 169
Note: 18" mag wheels not available with plastic coated handrims.		
20" Pneumatic Plastic Mag with Aluminum Handrim	PRO-31527	n/c
Note: Selection of any 20", 22", or 24" wheel requires additional axle plate spacing as needed for armrest clearance.		
20" Airless Inserts	(E2213) PRO-31022	\$ 77
20" Plastic Coated Handrims	(K0059) PRO-31016	\$ 119
22" Pneumatic Plastic Mag with Aluminum Handrim	PRO-31528	n/c
Note: Selection of any 20", 22", or 24" wheel requires additional axle plate spacing as needed for armrest clearance.		
22" Airless Inserts	(E2213) PRO-31023	\$ 77
22" Plastic Coated Handrims	(K0059) PRO-31017	\$ 119

Description	Part No.	Retail
Rear Wheels - Tires - Accessories (continued)		
Note: All wheel selections include Freedom Designs' Patented Double Locking Safety Axles.		
24" Pneumatic Plastic Mag with Aluminum Handrim	PRO-31529	n/c
Note: Selection of any 20", 22", or 24" wheel requires additional axle plate spacing as needed for armrest clearance.		
24" Airless Inserts	(E2213) PRO-31024	\$ 77
24" Plastic Coated Handrims	(K0059) PRO-31018	\$ 119
Omit Handrims from 20", 22" or 24" Wheels	PRO-31006	
 Spoke Wheels		
Note: Selection of any 20", 22", or 24" wheel requires additional axle plate spacing as needed for armrest clearance.		
16" Grey Pneumatic Tire & Silver Spoke Aluminum Wheel	(K0070) PRO-SE-31534	\$ 41
Note: Rim, hub & spokes are anodized silver.		
16" Airless Inserts	(E2213) PRO-31020	\$ 77
16" Silver Aluminum Handrim	(E2205) PRO-31030	\$ 77
16" Black Plastic Coated Handrim	(K0059) PRO-31032	\$ 77
Note: 16" & 18" spoke wheels do not include handrims.		
16" Black Pneumatic Tire & Black Spoke Aluminum Wheel	(K0070) PRO-SE-31535	\$ 41
Note: Rim, hub & spokes are anodized black.		
16" Airless Inserts	(E2213) PRO-31020	\$ 77
16" Black Aluminum Handrim	(E2205) PRO-31031	\$ 77
16" Black Plastic Coated Handrim	(K0059) PRO-31032	\$ 77
Note: 16" & 18" spoke wheels do not include handrims.		
18" Grey Pneumatic Tire & Silver Spoke Aluminum Wheel	(K0070) PRO-SE-31537	\$ 41
Note: Rim, hub & spokes are anodized silver.		
18" Airless Inserts	(E2213) PRO-31021	\$ 77
18" Silver Aluminum Handrim	(E2205) PRO-31034	\$ 77
18" Black Plastic Coated Handrim	(K0059) PRO-31036	\$ 77
Note: 16" & 18" spoke wheels do not include handrims.		
18" Black Pneumatic Tire & Black Spoke Aluminum Wheel	(K0070) PRO-SE-31538	\$ 41
Note: Rim, hub & spokes are anodized black.		
18" Airless Inserts	(E2213) PRO-31021	\$ 77
18" Black Aluminum Handrim	(E2205) PRO-31035	\$ 77
18" Black Plastic Coated Handrim	(K0059) PRO-31036	\$ 77
Note: 16" & 18" spoke wheels do not include handrims.		
20" Pneumatic Spoke Wheel with Aluminum Handrim	(K0070) PRO-31540	\$ 204
Note: Selection of any 20", 22", or 24" wheel requires additional axle plate spacing as needed for armrest clearance.		
20" Airless Inserts	(E2213) PRO-31022	\$ 77

P.R.D. CG-SE Rider Weight Capacity is 250 lbs.

P.R.D. CG-SE Pediatric

CE

Date: _____ PO# _____

Marked For: _____

Description	Part No.	Retail
-------------	----------	--------

Description	Part No.	Retail
-------------	----------	--------

Rear Wheels - Tires - Accessories (continued)

Note: All wheel selections include Freedom Designs' Patented Double Locking Safety Axles.

22" Pneumatic Spoke Wheel with Aluminum Handrim (K0070) PRO-31541 \$ 204

Note: Selection of any 20", 22", or 24" wheel requires additional axle plate spacing as needed for armrest clearance.

22" Airless Inserts (E2213) PRO-31023 \$ 77

24" Pneumatic Spoke Wheel with Aluminum Handrim (K0070) PRO-31542 \$ 204

Note: Selection of any 20", 22", or 24" wheel requires additional axle plate spacing as needed for armrest clearance.

24" Airless Inserts (E2213) PRO-31024 \$ 77

Omit Handrims from 20", 22" or 24" Wheels PRO-31006

Wheel Lock Options

Push to Lock - Standard PRO-31501 n/c

Pull to Lock PRO-31506 n/c

Extension Handles (E0961) PRO-31801 \$ 61

Foot Activated Wheel Lock PRO-31508 n/c

Note: Includes manual wheel locks to be used with public transportation

Note: Not available with 12" mag wheels with low pro poly tires.

Note: Not available with ALL vent and battery trays.

Hand Activated Brake and Wheel Lock System (E2228) PRO-30275 \$ 900

Note: Includes manual wheel locks to be used with public transportation

Note: Not available with 12" mag wheels with low pro poly tires.

Note: Used to control direction, speed, brake and lock wheels from strolling position.

Rear Anti-Tipper Options

Spring Loaded Swing-Away Anti-Tip Assembly - Foot Activated (E0971) PRO-31605 \$ 180

Curb Assist Anti-Tip Assembly Flip-Up Adjustable (E0971) PRO-31600 \$ 97

Note: Pair includes one anti-tip tube with curb assist feature.

Seat Pan Options

Note: All seat pans include 2" x 2" notches for growth adjustment.

Fixed Solid Seat Pan - Bolteron (E2231) PRO-39010 \$ 170

Note: Pan is fastened directly to the seat rail.

Note: All BOLTERON seat pans are made to fit frame dimensions unless specified below.

Seat Width _____" X Seat Depth _____"

Fixed Solid Seat Pan - Aluminum (E2231) PRO-39030 \$ 200

Note: Pan is fastened directly to the seat rail.

Note: Must be ordered full width. Not available with ANY Drop Pan Hardware kits.

Available in the following sizes only:

12" wide x 14" deep 16" wide x 18" deep

14" wide x 16" deep 18" wide x 18" deep

Fixed, Width Adjustable Solid Seat Pan - Aluminum (E2231) PRO-39040 \$ 290

Note: Pan is fastened directly to the seat rail.

Note: Aluminum Width Adjustable Fixed Solid Seat Pan adjusts 2" in width (in 1" increments) by assembly hardware to grow with PRO frame.

Note: Must be ordered full width. Not available with ANY Drop Pan Hardware kits.

Available in the following sizes only:

12"-14" wide x 14" deep 16"-18" wide x 18" deep

14"-16" wide x 16" deep

Note: ALL Fixed Seat Pans raise the effective seat to floor height by 1/2".

Mounting Hardware Options

Note: Use to convert fixed seat pan to removable.

Removable Pan Hardware Kit (K0108) PRO-EZLITE \$ 198

Note: Pan must be full width of the seat frame.

Note: Includes 4 each Ez-Lite Hardware, 2 each frame stopper clamps.

Note: Removable hardware raises the effective seat to floor height by 5/8".

1" Drop Pan Hardware Kit (K0108) PRO-DROP1 \$ 198

Note: Includes 4 each 1" drop hooks, 4 each 408 clamps, & 2 each Glide Lock clamps.

Note: Not available with ANY Aluminum Solid Seat Pan.

2" Drop Pan Hardware Kit (K0108) PRO-DROP2 \$ 198

Note: Includes 4 each 2" drop hooks, 4 each 408 clamps, & 2 each Glide Lock clamps.

Note: Not available with ANY Aluminum Solid Seat Pan.

Continue To Next Page

Date: _____ PO# _____

Marked For: _____

Description	Part No.	Retail	Description	Part No.	Retail
Accessories			NEW from Freedom Designs		
Tilt Range Limit Kit	(K0108) PRO-10920	\$ 35	<p>Available September 1st, 2015 is another NEW service from Freedom Designs. We are happy to announce that Matrix Seating can now be ordered "on chair" from Freedom.</p> <p>Simply go to: http://www.freedomdesigns.com/Literature.html or click the Seating Order Forms Button below to be taken to Freedom's web site.</p> <p>Open the Freedom order form for Matrix Seating and make your selections. Once completed, click on the email button and it will be sent to Freedom customer service.</p> <p>Now you can bundle any Freedom Frame with Matrix seating and we will set it up and deliver it together in one shipment.</p>		
Note: Pins install into outside of tilt channel to limit tilt travel.					
Medical Necessities Pouch	(K0108) PRO-23207	\$ 68			
Note: Black nylon.					
Footrest Hanger Pads - Pair	(K0108) SFDI-9HP	\$ 92			
Note: Wrap-around pads made from black neoprene.					
Frame Pads - Pair	(K0108) 10911-2	\$ 82			
Note: Wrap-around pads made from black neoprene.					
Flip-Down Rigidizing Bar	(K0108) PRO-23210	\$ 129			
Note: Mounts to back post tubes to add rigidity to frame.					
Freedom Backpack	(K0108) PRO-10900	\$ 56			
Note: Black Nylon only with Freedom Designs logo.					
Note: Monogramming is not available on Freedom Backpack.					
Freedom Canopy - Flip-Back	(K0108) PRO-10905	\$ 128			
Note: Canopy assembly includes removable mounting hardware.					
Note: Canopy is available in black only with Freedom Designs logo.					
Note: Canopy includes rear flap with zippered storage pocket.					
Note: Canopy includes clear-view window.					
Anterior Support Surfaces – Trays					
3/8" Lexan Tray - Channel Bracket Hardware	(E0950/ E1028) 08-2000	\$ 271			
3/8" Lexan Tray - Adjustable Knob Hardware & Ribs	(E0950/ E1028) 08-6000	\$ 219			
1/4" Lexan Tray - EZ Lite Channel Hardware & Ribs	(E0950/ E1028) 08-13000	\$ 183			
1/4" Lexan Tray - Hook & Loop Straps	(E0950/ E1028) 08-16000	\$ 106			

HCPCS CODES are provided based on verification through PDAC or our interpretation of the code definitions. The use of HCPCS codes does not ensure coverage or payment. For coverage information, verify the appropriate payer's coverage policy.